


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	((("20030023666") or ("20030007493") or ("6055605") or ("6044438") or ("6026472") or ("6014690") or ("6006255")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:21
L2	4	1 and status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:23
L3	8	"6085293"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:22
L4	7	3 and @ad<"19991209"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:22
L5	4	4 and (status and tag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2298	(numa) (non adj uniform adj memor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:09
L2	3012	(cache\$3 near3 status\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:49
L3	155	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:11
L5	2129	((storag\$5 memor\$5) near9 cache\$3 near9 status\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:20
L6	87	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:13
L12	98	jungwon near chang	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:55
L13	0	12 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:21
L14	61390	((storag\$5 memor\$5 cache\$3) near9 status\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:20

L15	8	12 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:24
L16	1586	(cache adj3 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:24
L17	166	(cache adj data) near6 found	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:24
L25	36	1 and 2 and (owner\$3 with (status state\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:44
L26	22	1 and 2 and (owner\$3 with (status state\$3)) and @ad<"20001208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:50
L27	39	1 and 2 and (exclusiv\$5 with (status state\$3)) and @ad<"20001208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:51
L28	16	12 and exclusiv\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 14:59
L29	305	(cache\$3 near9 status\$5) near9 exclusiv\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:02

L30	0	(cache\$3 with status\$5) with exclusiv\$5 with monopol\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:01
L31	2	(cache\$3 same status\$5) same exclus\$9 same monopol\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:42
L33	0	(cache\$3 near9 status\$5) near9 monopol\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:02
L34	101	(status\$5) near9 monopol\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:44
L35	1	(1 2) and 34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:02
L36	71	(exclusiv\$5 with monopol\$9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:03
L37	1	"6766360".pn. and (exclus\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:40
L42	4	(cache\$5 memor\$5) with status\$5 with monopol\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:45

L43	0	"6766360".pn. and (owner\$3 adj5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:49
L44	272	2 and (owner\$5 adj3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 15:49
L45	160	44 and @ad<"20001208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 16:00
L46	142	44 and @ad<"19991209"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 16:00
L47	91	44 and @ad<"19991209" and (p private\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 16:01
L48	10	44 and @ad<"19991209" and ((p private\$3) with (state\$3 status\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 16:01
L49	22	(privat\$5 with status with cache\$3) and @ad<"19991209"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 16:05



Web

Results 1 - 10 of about 929 for "numa "non-uniform memory "status "state "private. (0.22 seconds)

Using NUMA Interconnects for Highly Available Filers

All **state** that the filer preserves across reboot will also be preserved across failover ... Glossary. CC-NUMA. cache-coherence for **nonuniform memory** access ...
doi.ieeecomputersociety.org/10.1109/40.748795 - [Similar pages](#)

Cache-Only Memory Architectures

We also outline different COMA designs, compare COMA to traditional cache-coherent **nonuniform memory** access (NUMA) systems, and describe proposed ...
doi.ieeecomputersociety.org/10.1109/2.769448 - [Similar pages](#)

[PS] Multiprocessors Motivations: ffl To increase computing power ffl ...

File Format: Adobe PostScript - [View as Text](#)

2-NUMA: Non uniform Memory Access. Used in Distributed Memory Processors. ...

Private and shared data can be cached by local processors. ...

www.ee.ryerson.ca/~courses/ele818/mp.ps - [Similar pages](#)

Citations: The Implementation of a Coherent Memory Abstraction on ...

All pages that are physically resident on the node (whether **private** or shared) are

... Page Placement For **Non-Uniform Memory** Access Time (NUMA) Shared

citeseer.ist.psu.edu/context/1663/0 - 39k - [Cached](#) - [Similar pages](#)

Citations: - cache, for, multiprocessors, of, Annual, on, pages ...

These NUMA (**Non Uniform Memory** Access) architectures take on many forms, ranging from ... The **private** cache shared bus approach is recursively applied to ...

citeseer.ist.psu.edu/context/53362/0 - 42k - [Cached](#) - [Similar pages](#)

[PS] Multiprocessors 1 Multiprocessors * Two Types: 1. Centrally Shared ...

File Format: Adobe PostScript - [View as Text](#)

Local and remote accesses: **non-uniform memory** access (NUMA). * Snooping cache not scalable to large ... Block in shared **state**, **memory** value up-to-date 1. ...

www.cc.gatech.edu/classes/ cs4760_98_fall/lectures/lecture5.ps - [Similar pages](#)

[PDF] Microsoft PowerPoint - MultiNode_102104.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Status: October 2004. Merrimac Multi-node **Memory** Model ... NUMA : **non uniform memory** access. from a processing node, **memory** access to two different location ...

merrimac.stanford.edu/publications/ posters/ASC_Oct04/MultiNode_102104.pdf - [Similar pages](#)

CIS 307: Intro to Distributed Systems, Middleware and Client ...

Shared-Nothing, where each processor has its own **private memory** and disks ...

Memory Access and of NUMA systems, where you have **Non-Uniform Memory** Access. ...

www.cis.temple.edu/~ingargio/ cis307/readings/client-server.html - 29k - [Cached](#) - [Similar pages](#)

[PS] 1 A COMPARATIVE STUDY OF CACHE-COHERENT NONUNIFORM MEMORY ACCESS ...

File Format: Adobe PostScript - [View as Text](#)

CC-NUMA multiprocessors providethe convenience of **memory** sharing with one ...

The local **state** part includes the local caching **status** of each of the two ...

www.eecs.umich.edu/PPP/HPCS98.ps - [Similar pages](#)

[PDF] The Implementation of a Coherent Memory Abstraction on a NUMA ...

File Format: PDF/Adobe Acrobat

system for **Non-Uniform. Memory Access. (NUMA)**. multiprocessor. architectures.


... segment, it is wasteful to allocate multiple **private** copies. ...

portal.acm.org/ft_gateway.cfm?id=74855&type=pdf - [Similar pages](#)

Try searching for "numa "non-uniform memory "status "state "private on Google Book Search

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**




Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

"numa "non-uniform memory "private status

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 4 of about 5 for "numa "non-uniform memory "private status. (0.72 seconds)

Tip: Try removing quotes from your search to get more results.

[PS] [UNIVERSITAT TRIER..Mathematik / Informatik Electronic copies of ...](#)

File Format: Adobe PostScript - [View as Text](#)

Most of these machines have **non-uniform memory** access time (NUMA). ... A **private status** flag ONE keeps track of this property; it is set to 1 when at ...

[www2.in.tum.de/~seidl/papers/fl.ps](#) - [Similar pages](#)

[PS] [THE Cool PARALLEL PROGRAMMING LANGUAGE: DESIGN, IMPLEMENTATION ...](#)

File Format: Adobe PostScript - [View as Text](#)

... and are termed **NUMA** architectures (for **Non Uniform Memory** Access). ...

Experimental comparison of **memory** management policies for **NUMA** multiprocessors. ...

[www.flash.stanford.edu/cool/thesis.ps](#) - [Similar pages](#)

[www.kernel.org/hg/linux-2.6/?cmd=changeset;node=cb...](#)

6270k - Supplemental Result - [Cached](#) - [Similar pages](#)

[www.kernel.org/hg/linux-2.6/?cmd=changeset;node=30...](#)


4566k - Supplemental Result - [Cached](#) - [Similar pages](#)

[[More results from www.kernel.org](#)]

In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

Try searching for **"numa "non-uniform memory "private status** on [Google Book Search](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"numa "non-uniform memory "private [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google